

# ホットフラットバー

SUS-304

Stainless steel sections




## SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
3 × 15	1.43
19	1.81
20	1.90
25	2.38
30	2.86
32	3.04
35	3.33
38	3.62
40	3.81
45	4.28
50	4.76
60	5.72
65	6.20
4 × 15	1.90
16	2.03
19	2.41
20	2.54
22	2.79
25	3.17
30	3.81
32	4.08
35	4.44
38	4.84
40	5.08
45	5.72
50	6.36
60	7.60
65	8.24
75	9.52
5 × 15	2.38
19	3.01
20	3.17
22	3.49
25	3.96
30	4.76
32	5.08
35	5.56
38	6.04
40	6.36

厚さ×幅 (mm)	重量 (kg/本)
5 × 45	7.12
50	7.92
60	9.52
65	10.30
75	11.90
90	14.30
100	15.80
6 × 15	2.86
19	3.62
20	3.81
22	4.20
25	4.76
30	5.72
32	6.08
35	6.68
38	7.24
40	7.60
45	8.56
48	9.12
50	9.52
60	11.4
65	12.4
70	13.3
75	14.3
90	17.1
100	19.0
7 × 20	4.44
8 × 16	4.08
25	6.36
30	7.60
32	8.12
35	8.88
38	9.64
40	10.2
45	11.4
50	12.7
65	16.5
75	19.0
100	25.4

寸法 (mm)	重量 (kg/本)
9 × 13	3.71
15	4.28
16	4.56
19	5.44
20	5.72
22	6.28
25	7.12
30	8.56
32	9.12
35	10.0
38	10.8
40	11.4
45	12.8
50	14.3
55	15.7
60	17.1
65	18.6
75	21.4
90	25.7
100	28.6
125	35.7
150	42.8
200	57.2
250	71.2
300	85.6
10 × 15	4.76
19	6.04
20	6.36
25	7.92
30	9.52
32	10.2
35	11.1
38	12.0
40	12.7
45	14.3
50	15.8
60	19.0
65	20.6
75	23.8

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)


www.masuyasus.co.jp/

MASUYA

# ホットフラットバー

SUS-304

Stainless steel sections



## SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
10 × 100	31.7
125	39.6
150	47.6
200	63.6
250	79.2
300	95.2
12 × 15	5.72
19	7.24
20	7.60
25	9.52
30	11.4
32	12.2
35	13.3
38	14.5
40	15.2
45	17.1
50	19.0
65	24.8
70	26.6
75	28.6
90	34.2
100	38.1
125	47.6
22 × 100	69.6
125	87.2
150	105
200	140
250	174
300	209

寸法 (mm)	重量 (kg/本)
25 × 32	25.4
38	30.1
40	31.7
45	35.7
50	39.6
60	47.6
65	51.6
75	59.6
100	79.2
125	99.2
150	119
200	158
250	198
300	238
30 × 50	47.6
55	52.4
65	62.0
75	71.2
100	95.2
125	119
150	143
200	190
250	238
300	286
35 × 50	55.6
65	72.0
75	83.2
100	111
125	139

寸法 (mm)	重量 (kg/本)
35 × 150	166
40 × 50	63.6
65	82.4
75	95.2
100	127
125	158
150	190
50 × 65	103
75	119
100	158
125	198
150	238
60 × 75	143
100	190
125	238
150	286
65 × 75	155
70 × 100	222
125	278
150	333
80 × 100	254
125	317
150	381
90 × 125	357
150	428
100 × 125	396
150	476

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)


FAX 078-991-2150(代表)

www.masuyasus.co.jp/

# ホット四角棒

SUS-304

Stainless steel sections



MASUYA

## SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
10 × 10	3.17
12 × 12	4.56
13 × 13	5.36
14 × 14	6.20
15 × 15	7.12
16 × 16	8.12
19 × 19	11.4
20 × 20	12.7
22 × 22	15.4

寸法 (mm)	重量 (kg/本)
25 × 25	19.8
28 × 28	24.9
30 × 30	28.6
32 × 32	32.5
36 × 36	41.2
38 × 38	45.8
40 × 40	50.8
42 × 42	56.0
45 × 45	64.4

寸法 (mm)	重量 (kg/本)
50 × 50	79.2
55 × 55	96
60 × 60	114
65 × 65	134
70 × 70	156
75 × 75	178
80 × 80	203
90 × 90	257
100 × 100	317

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

[www.masuyasus.co.jp/](http://www.masuyasus.co.jp/)

# ホットフラットバー・角棒

SUS-316

Stainless steel sections

MASUYA



## SUS-316 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
3 × 20	1.92
25	2.39
30	2.87
32	3.06
38	3.64
40	3.83
50	4.80
4 × 25	3.19
30	3.83
40	5.12
50	6.40
5 × 20	3.19
25	3.99
30	4.80
32	5.12
38	6.08
40	6.40
50	8.00
6 × 25	4.80
30	5.76
32	6.12
38	7.28
40	7.68

寸法 (mm)	重量 (kg/本)
6 × 50	9.56
65	12.4
75	14.4
100	19.2
9 × 25	7.2
30	8.6
32	9.2
38	10.9
50	14.4
65	18.7
75	21.6
90	25.8
100	28.7
10 × 50	16.0
100	31.9
12 × 25	9.6
32	12.2
38	14.6
50	19.2
65	24.9
75	28.7
100	38.3
16 × 25	12.8

寸法 (mm)	重量 (kg/本)
16 × 32	16.4
38	19.4
50	25.5
65	33.2
75	38.3
100	51.2
19 × 50	30.3
65	39.4
75	45.6
100	60.8
19	11.5
20 × 20	12.8
22 × 22	15.4
25 × 25	20.0
30 × 30	28.7
32 × 32	32.7
36 × 36	41.4
38 × 38	46.0
40 × 40	51.2
42 × 42	56.4
45 × 15	64.8
50 × 50	80.0

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)


www.masuyasus.co.jp/

# ホットフラットバー・角棒

SUS-316L

Stainless steel sections

MASUYA



## SUS-316L (長さ4000mm)

寸法 (mm)	重量 (kg/本)
3 × 20	1.92
25	2.39
30	2.87
32	3.06
38	3.64
40	3.83
50	4.80
4 × 25	3.19
30	3.83
40	5.12
50	6.40
5 × 20	3.19
25	3.99
30	4.80
32	5.12
38	6.08
40	6.40
50	8.00
6 × 25	4.80
30	5.76
32	6.12
38	7.28
40	7.68

寸法 (mm)	重量 (kg/本)
6 × 50	9.56
65	12.4
75	14.4
100	19.2
9 × 25	7.2
30	8.6
32	9.2
38	10.9
50	14.4
65	18.7
75	21.6
90	25.8
100	28.7
10 × 50	16.0
100	31.9
12 × 25	9.56
32	12.2
38	14.6
50	19.2
65	24.9
75	28.7
100	38.3
16 × 25	12.8

寸法 (mm)	重量 (kg/本)
16 × 32	16.4
38	19.4
50	25.5
65	33.2
75	38.3
100	51.2
19 × 50	30.3
65	39.4
75	45.6
100	60.8
19	11.5
20 × 20	12.8
22 × 22	15.4
25 × 25	20.0
30 × 30	28.7
32 × 32	32.7
36 × 36	41.4
38 × 38	45.8
40 × 40	51.2
42 × 42	56.4
45 × 45	64.8
50 × 50	80.0

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/