

コールドフラットバー

SUS-304

Stainless steel sections



MASUYA

SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
2 × 10	0.636
12	0.760
15	0.952
20	1.27
25	1.59
30	1.90
32	2.03
38	2.41
40	2.54
45	2.86
50	3.17
3 × 6	0.568
7	0.668
8	0.760
9	0.856
10	0.952
12	1.14
13	1.24
15	1.43
16	1.52
19	1.81
20	1.90
22	2.09
25	2.38
30	2.86
32	3.04
35	3.33
38	3.62
40	3.81
42	4.00
45	4.28
48	4.56
50	4.76
60	5.72
65	6.20
75	7.12
90	8.56
100	9.52
110	10.5
120	11.4
125	11.9

寸法 (mm)	重量 (kg/本)
3 × 130	12.4
140	13.3
150	14.3
4 × 9	1.14
10	1.27
11	1.40
12	1.52
13	1.65
15	1.90
16	2.03
17	2.16
19	2.41
20	2.54
22	2.79
25	3.17
30	3.81
32	4.08
35	4.44
38	4.84
40	5.08
45	5.72
50	6.36
60	7.60
65	8.24
75	9.52
90	11.40
100	12.70
5 × 8	1.27
9	1.43
10	1.59
12	1.90
13	2.06
15	2.38
16	2.54
19	3.01
20	3.17
22	3.49
25	3.96
30	4.76
32	5.08
34	5.40

寸法 (mm)	重量 (kg/本)
5 × 35	5.56
38	6.04
40	6.36
50	7.92
60	9.52
65	10.3
75	11.9
90	14.3
100	15.8
130	20.6
150	23.8
6 × 9	1.71
10	1.90
12	2.28
13	2.48
15	2.86
16	3.04
18	3.42
19	3.62
20	3.81
22	4.20
25	4.76
30	5.72
32	6.08
35	6.68
38	7.24
40	7.60
42	8.00
45	8.56
48	9.12
50	9.52
60	11.4
65	12.4
70	13.3
75	14.3
90	17.1
100	19.0
110	20.9
120	22.8
125	23.8
130	24.8

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

コールドフラットバー

SUS-304

Stainless steel sections



SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
6 × 140	26.6
150	28.6
8 × 10	2.54
16	4.08
32	8.12
38	9.64
50	12.7
9 × 13	3.71
15	4.28
16	4.56
19	5.44
20	5.72
22	6.28
25	7.12
30	8.56
32	9.12
35	10.0
38	10.8
40	11.4
45	12.8
50	14.3
60	17.1
65	18.6
75	21.4
90	25.7
100	28.6
125	35.7
150	42.8
200	57.2
250	71.2
300	85.6
10 × 15	4.76
19	6.04
20	6.36
25	7.92
30	9.52
32	10.2
38	12.0
40	12.7
50	15.8

寸法 (mm)	重量 (kg/本)
10 × 65	20.6
75	23.8
100	31.7
125	39.6
150	47.6
200	63.6
250	79.2
12 × 14	5.32
16	6.08
19	7.24
20	7.60
25	9.52
30	11.4
32	12.2
35	13.3
38	14.5
40	15.2
50	19.0
65	24.8
75	28.6
90	34.2
100	38.1
125	47.6
150	57.2
200	76.0
250	95.2
300	114
16 × 19	9.64
20	10.2
25	12.7
32	16.2
38	19.3
40	20.3
50	25.4
65	33.0
75	38.1
100	50.8
125	63.6
150	76.0
200	102

寸法 (mm)	重量 (kg/本)
16 × 250	127
300	152
19 × 25	15.1
32	19.3
38	22.9
50	30.1
65	39.2
75	45.2
100	60.4
125	75.2
150	90.4
200	120
250	151
300	181
22 × 32	22.3
38	26.5
50	34.9
65	45.2
75	52.4
100	69.6
25 × 32	25.4
38	30.1
50	39.6
65	51.6
75	59.6
100	79.2
125	99.2
150	119
200	158
30 × 50	47.6
55	52.4
65	62.0
75	71.2
100	95.2
35 × 50	55.6
65	72.0
75	83.2
100	111

MASUYA

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/

コールド・四角棒

SUS-304

Stainless steel sections

MASUYA

SUS-304 (長さ4000mm)

寸法 (mm)	重量 (kg/本)
4 × 4	0.508
5 × 5	0.792
6 × 6	1.14
7 × 7	1.56
8 × 8	2.03
9 × 9	2.57
10 × 10	3.17
12 × 12	4.56
13 × 13	5.36
14 × 14	6.20

寸法 (mm)	重量 (kg/本)
15 × 15	7.12
16 × 16	8.12
19 × 19	11.4
20 × 20	12.7
22 × 22	15.4
25 × 25	19.8
26 × 26	21.4
28 × 28	24.9
30 × 30	28.6
32 × 32	32.5

寸法 (mm)	重量 (kg/本)
36 × 36	41.2
38 × 38	46.0
40 × 40	50.8
45 × 45	64.4
50 × 50	79.2
55 × 55	96.0
60 × 60	114
65 × 65	134

増屋株式会社

MASUYA CO.,LTD.

〒651-2271

神戸市西区高塚台 3-2-11

TEL 078-991-2100(代表)

FAX 078-991-2150(代表)

www.masuyasus.co.jp/